Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	1166	(transform$ translat$) with xml with (documents items) with (xhtml $3xml)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/01/12 14:29
L3	364	(transform$ translat$) with xml with (documents items) with (format)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/01/12 14:29
L4	52	(transform$ translat$) with xml with (documents items) with (format)	USPAT; IBM_TDB	OR	ON	2006/01/12 14:32
L5	52	(transform$ translat$) with xml with (documents items) with (format) with $3xml	USPAT; IBM_TDB	OR	ON	2006/01/12 14:32
L6	1	(transform$ translat$) with xml with ("items") with (format) with $3xml	USPAT; IBM_TDB	OR	ON	2006/01/12 14:33
L7	10	(transform$ translat$) with xml with ("items") with (format) with $3xml	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/12 14:35
L8	651	(transform$ translat$ conver$) with xml with ("documents") with (format) with $3xml	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/12 14:47
L9	14	(transform$ translat$ conver$) with xml with ("documents") with (format) with (wbxml xhtml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/12 14:50
L10	14	(transform$ translat$ conver$) with xml with (documents) with (format) with (wbxml xhtml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/12 14:55
L11	1	(transform$ translat$ conver$) with xml with (component items) with (format) with (wbxml xhtml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/12 14:51
L12	4	(transform$ translat$ conver$) with xml with (components) with (wbxml xhtml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/12 14:57
L13	125	(transform$ translat$ conver$) with xml with (components) with (format)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/12 16:11
L14	1	"20050198042"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/12 16:11

L15	5	"6571253"	USPAT	OR	ON	2006/01/12 16:59
L16	3	((("6571253") or ("6463442") or ("6418446")).PN.	USPAT	OR	OFF	2006/01/12 16:59
L17	12	("5706505" | "6009436" | "6085196" | "6177936" | "6279015" | "6282547" | "6330006" | "6463442").PN. OR ("6571253").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/12 16:59
L18	4	("6571253").URPN.	USPAT	OR	ON	2006/01/12 16:59
L19	12	("6286010").PN. OR ("6418446").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/12 16:59
L20	7	("6463442").URPN.	USPAT	OR	ON	2006/01/12 16:59
L21	1	xml xslt compil$ (data near stor$) xPath xpathnodeiterator xpathnavigator infoset dom (data near model) (cursor near model)	US-PGPUB; USPAT; IBM_TDB	AND	ON	2006/01/12 16:59
L22	1	xml xslt compil$ (data near stor$) xPath xpathnodeiterator xpathnavigator dom (data near model) (cursor near model)	US-PGPUB; USPAT; IBM_TDB	AND	ON	2006/01/12 16:59
L23	1	xml xslt compil$ (data near stor$) xPath xpathnodeiterator xpathnavigator (data near model) (cursor near model)	US-PGPUB; USPAT; IBM_TDB	AND	ON	2006/01/12 16:59
L24	2	xml xslt compil$ (data near stor$) xPath xpathnodeiterator xpathnavigator	US-PGPUB; USPAT; IBM_TDB	AND	ON	2006/01/12 16:59
L25	2	xml xslt compil$ xPath xpathnodeiterator xpathnavigator	US-PGPUB; USPAT; IBM_TDB	AND	ON	2006/01/12 16:59
L26	152	xml xslt compil$ xPath	US-PGPUB; USPAT; IBM_TDB	AND	ON	2006/01/12 16:59
L27	6	xml xslt compil$ xPath	USPAT	AND	ON	2006/01/12 16:59
L28	3	xml xslt compil$ xPath xpathnodeiterator	US-PGPUB; USPAT; IBM_TDB	AND	ON	2006/01/12 16:59
L29	5	xml xslt compil$ xPath xpathnavigator	US-PGPUB; USPAT; IBM_TDB	AND	ON	2006/01/12 16:59
L30	5	xml xslt compil$ xPath$ xpathnavigator	US-PGPUB; USPAT; IBM_TDB	AND	ON	2006/01/12 16:59

L31	2	(("6,256,678") or ("6,418.448") or ("6,209,124")).PN. or ((2003/0074206) or (2003/0051236) or (2002/0169679) or (2003/0084120)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/01/12 16:59
L32	7	(("20030074206") or ("20030051236") or ("6,256,678") or ("20020169679") or ("6,418, 448") or ("6,209,124") or ("20030084120")).PN.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/01/12 16:59
L33	0	action with fram with stack	US-PGPUB; USPAT; IBM_TDB	AND	ON	2006/01/12 16:59
L34	2127154	e	US-PGPUB; USPAT; IBM_TDB	AND	ON	2006/01/12 16:59
L35	142	action with frame with stack	US-PGPUB; USPAT; IBM_TDB	AND	ON	2006/01/12 16:59
L36	120	action with frame with stack	USPAT	AND	ON	2006/01/12 16:59
L37	0	L36 and xml	USPAT	AND	ON	2006/01/12 16:59
L38	0	L35 and xml	USPAT	AND	ON	2006/01/12 16:59
L39	1	L35 and xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/12 16:59
L40	348	action with frame with stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/12 16:59
L41	1	L40 and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/12 16:59
L42	389	$xml xsl$ xpath$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/12 16:59

L43	389	$3xml xsl$ xpath$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/12 16:59
L44	88	L43 and stack$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/12 16:59
L45	289	L43 and ((select$5 with output) view)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 16:59
L46	73	L44 and ((select$5 with output) view)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 16:59
L47	70	L46 and format$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 16:59
L48	36	L47 and compil$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 16:59
L49	27	L48 and ((data near stor$3) datastor$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 16:59
L50	20	L48 and (common with (format$ represent$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 16:59

L51	14	L49 and (common with (format$ represent$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 16:59
L52	13	L51 and quer$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 16:59
L53	860	xpath	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 16:59
L54	63	x with path with navigat$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 16:59
L55	31	x with path with navigat$	USPAT	OR	ON	2006/01/12 16:59
L56	6	xpath with navigat$	USPAT	OR	ON	2006/01/12 16:59
L57	0	xpath with iterat$	USPAT	OR	ON	2006/01/12 16:59
L58	16	xpath with iterat$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 16:59
L59	3	xpathnodeiterator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 16:59
L60	6	xpathnod$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 16:59
L61	8	xpathnavigator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 16:59

L62	3	xpathdocument	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 16:59
L63	860	xpath neardocument	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 16:59
L64	1	xpath near iterat$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 16:59
L65	0	xpathnode near iterat$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 16:59
L66	0	xpathnod$ near iterat$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 16:59
L67	0	xpathnod$ with iterat$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 16:59
L68	6	xpathnod$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 16:59
L69	7	xpath near navigat$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 16:59

L70	9	xpath with node with iterat$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 16:59
L71	0	xpathnod$ with iterat$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 16:59
L72	0	xpathnode with iterat$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 16:59
L73	47	xpath near document	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 16:59
L74	18	L73 and (data adj stor$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 16:59
L75	14	(US-20020138582-$ or US-20020169679-$ or US-20020174147-$ or US-20030051236-$ or US-20030074206-$ or US-20030084120-$ or US-20030126136-$ or US-20030149934-$).did. or (US-6209124-$ or US-6256678-$ or US-6418446-$ or US-6418448-$ or US-6571253-$ or US-6772413-$).did.	US-PGPUB; USPAT	OR	ON	2006/01/12 16:59
L76	7	L75 and (data adj store)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/01/12 16:59
L77	0	L75 and (datastore)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/01/12 16:59
L78	0	(external with reference with resolv$) and L75	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/01/12 16:59

L79	318	(external with reference with resolv$)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/01/12 16:59
L80	2	L79 same (style adj sheet)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/01/12 16:59
L81	0	L79 same (css xslt)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/01/12 16:59
L82	7	L75 and stack	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/01/12 16:59
L83	3	L76 and L82	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/01/12 16:59
L84	6	L76 and compil$	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/01/12 16:59
L85	3	L84 and L82	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/01/12 16:59
L86	0	L75 and ((action event) with stack)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/01/12 16:59
L87	142	action with frame with stack	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/01/12 16:59
L88	0	L87 and L75	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/01/12 16:59
L89	1	L87 and xml	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/01/12 16:59
L90	12	L87 and transform$	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/01/12 16:59
L91	1261	stack and xml and transform$	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/01/12 16:59
L92	211	stack and xml and transform$	USPAT	OR	ON	2006/01/12 16:59
L93	14	(stack with (frame action event)) and xml and transform$	USPAT	OR	ON	2006/01/12 16:59
L94	10	basehoar.xa.	USPAT	OR	ON	2006/01/12 16:59
L95	635	campbell.xa.	USPAT	OR	ON	2006/01/12 16:59
L96	0	campbell.xa. and josh.xa.	USPAT	OR	ON	2006/01/12 16:59
L97	6	campbell.xa. and joshua.xa.	USPAT	OR	ON	2006/01/12 16:59
L98	6	campbell.xa. and josh$.xa.	USPAT	OR	ON	2006/01/12 16:59

L99	1081050	output$ (pull$5 push$5) and subset ((style adj sheet) transform$ translat$ convert$ format$ view$5 xslt) and select$6 and xml	USPAT	OR	ON	2006/01/12 16:59
L100	14182	output$ and (pull$5 push$5) and subset ((style adj sheet) transform$ translat$ convert$ format$ view$5 xslt) and select$6 and xml	USPAT	OR	ON	2006/01/12 16:59
L101	335	output$ and (pull$5 push$5) and subset and ((style adj sheet) transform$ translat$ convert$ format$ view$5 xslt) and select$6 and xml	USPAT	OR	ON	2006/01/12 16:59
L102	73	output$ and (pull$5 push$5) and subset and (transform$ translat$ convert$ format$ view$5) and ((style adj sheet) xslt) and select$6 and xml	USPAT	OR	ON	2006/01/12 16:59
L103	72	L102 not microsoft.as.	USPAT	OR	ON	2006/01/12 16:59
L104	73	output$ and (pull$5 push$5) and subset and (transform$ translat$ convert$ format$ view$5) and ((style adj sheet) xslt) and select$6 and xml	USPAT	OR	ON	2006/01/12 16:59
L105	251	resolv$ with external with (link$ reference$)	USPAT	OR	ON	2006/01/12 16:59
L106	2691952	resolv$ adj external adjh (link$ reference$)	USPAT	OR	ON	2006/01/12 16:59
L107	38	output$ and (pull$5 push$5) and subset and (transform$ translat$ convert$ format$ view$5) and ((style adj sheet) xslt) and select$6 and xml and compil$ and (action event) and resolv$	USPAT	OR	ON	2006/01/12 16:59
L108	84	resolv$ adj external adj (link$ reference$)	USPAT	OR	ON	2006/01/12 16:59
L109	0	L107 and L108	USPAT	OR	ON	2006/01/12 16:59
L110	0	L102 and L108	USPAT	OR	ON	2006/01/12 16:59
L111	0	L108 and (action adj frame adj stack)	USPAT	OR	ON	2006/01/12 16:59
L112	0	(action adj frame adj stack)	USPAT	OR	ON	2006/01/12 16:59
L113	38	output$ and (pull$5 push$5) and subset and (transform$ translat$ convert$ format$ view$5) and ((style adj sheet) xslt) and select$6 and xml and compil$ and (action event) and resolv$	USPAT	OR	ON	2006/01/12 16:59

L114	84	resolv$ adj external adj (link$ reference$)	USPAT	OR	ON	2006/01/12 16:59
L115	0	L108 and L75	USPAT	OR	ON	2006/01/12 16:59
L116	0	L108 and xml	USPAT	OR	ON	2006/01/12 16:59
L117	0	L108 and xsl$	USPAT	OR	ON	2006/01/12 16:59
L118	0	L108 and (style with sheet)	USPAT	OR	ON	2006/01/12 16:59
L119	75	L108 and compil$	USPAT	OR	ON	2006/01/12 16:59
L120	6	L76 and compil$	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/01/12 16:59
L121	14	(US-20020138582-$ or US-20020169679-$ or US-20020174147-$ or US-20030051236-$ or US-20030074206-$ or US-20030084120-$ or US-20030126136-$ or US-20030149934-$).did. or (US-6209124-$ or US-6256678-$ or US-6418446-$ or US-6418448-$ or US-6571253-$ or US-6772413-$).did.	US-PGPUB; USPAT	OR	ON	2006/01/12 16:59
L122	2	L121 and (pattern near match$)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/01/12 16:59
L123	0	L121 and (root near action)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/01/12 16:59
L124	8	L121 and (root)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/01/12 16:59
L125	0	L121 and (root near compil$)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/01/12 16:59
L126	0	L121 and (root with compil$)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/01/12 16:59
L127	0	L121 and (root same compil$)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/01/12 16:59
L128	10	L121 and (compil$)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/01/12 16:59
L129	0	L121 and (compil$ near action)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/01/12 16:59

| L130 | 1 | L121 and (compil$ with action) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2006/01/12 16:59 |